

CHEKIN, V.YA?

37660 Dva slucheya anginozno- nekroticheskikh porazheniy polosti
rta i zeva pri c-avitaminoze. vestnik otorinolaringologov, 1949. No. 6.
s. 61-63

SO: Letopis' Zhurnal'nykh Statey vol. 37. 1959

38353 CHEKIN, V. YA.

Iskhod gematom posle ushibov pri gipovitaminoze S. Sov. Meditsina, 1949,
No 12, s. 31-32

//E

CA

The state of secretory, secretory, and enzymic gastric functions in C avitaminosis. V. Ya. Chukin. *Tropey. Arkh.* 22, No. 6, 63-4 (1960).—Clinical human cases show lowered HCl secretion, reduced amt. of gastric secretion, and slow elimination of gastric content (parenteral test with neutral red revealed either very slow elimination or complete retention). The digestive (enzymic) potency of the gastric juice is similarly depressed. G. M. Kozlovoff

CA

112

Hematopoiesis in vitamin C deficiency. V. Ya. Chekin.
Trudy. Akad. 23, No. 4, 80-4(1951).—In vitamin C deficiency there occurs an increase of red blood cell count and a high level of reticulocytosis in bone marrow and peripheral blood. Administration of the vitamin leads to increased mitosis and increased count of young cellular forms in the blood. In C avitaminosis there takes place a form of marrow deficiency in respect to blood formation: particularly in the maturation of erythrocytes. At the same time the generation of cells of myeloid type is also repressed.
G. M. Kosolapoff

CHEKIN, V. Ya.

Ascorbic acid content in gastric juice. Klin. med, Moskva
29 no.8:39-41 Aug 1951. (CML 20:11)

1. Candidate Medical Sciences.

CHEKIN, V. Ya.

177T64

USSR/Medicine - Vitamins

Oct 51

"Supply of Vitamin C in the Regular Diet of the Population of Polar Regions," V. Ya. Chekin

"Priroda" Vol XXXIX, No 10, pp 53

Meat and int organs of reindeer contain considerable amt of Vitamin C: there are 4.2-12 mg% of Vitamin C in meat, 12-22 mg% in heart tissue, 60-137 mg% in the liver, 81-120 mg% in brain tissue, 8-25 mg% in the meat of the tongue, 42-93 mg% in kidneys, 74-181 mg% in lung tissue. Blood of reindeer contains 0.57-2.06 mg% of Vitamin C as compared with 0.7-3.7 mg% in blood of cattle (V. N. Bukin) and 0.61-2.1 mg%

LC

177T64

USSR/Medicine - Vitamins (Contd)

Oct 51

in blood of cattle in polar regions (V. Ya. Chekin). Population of extreme North thus gets sufficient supply of Vitamin C by consuming fresh raw meat. This was not generally understood hitherto, because meat and int organs of cattle contain much less Vitamin C than those of reindeer, caribou, and seals.

LC

177T64

CHEKIN, V.Ya.

Prevention of scurvy in extreme north. Sovet. med. No. 2:28-29 Feb 52.
(CJML 21:5)

1. Candidate Medical Sciences. 2. Komi ASSR.

CHEKIN, V. Ya.

Evaluation of vascular tonus in electroshock therapy. Zh. nevropat. psikhiat., Moskva 52 no. 3:27-29 Mar 1952. (CLML 22:1)

1. Candidate Medical Sciences. 2. Of the Central Hospital-Poly-clinic Amalgamation (Head -- Ye. K. Butko), Vorkuta, Komi ASSR.

✓ 32-37 351 533-512 27 2

Chetkin, V. Ya. K vzrastu i klimatu meteorologicheskikh faktorov na sotsialnyy tonus. (The influence of meteorological factors on vascular tone). Moscow 1954. 71 Jan. Feb. 1953. 6 refs. DLC—The influence of meteorological factors on vascular tone. The influence of atmospheric pressure upon vascular tone was investigated by measuring the arterial pressure of 312 males in a northern region during seasons when the barometric pressure varied 30-40 mm a day. Blood pressure was found to vary with changes in atmospheric pressure; and the variation was greatest in diastolic pressure. At an atmospheric pressure of 765.75 mm the systolic pressure was raised on 5.8% of the cases at 741.75 mm the systolic pressure was raised on 5.8% of the cases at 702.75 mm the systolic pressure was raised on 5.8% of the cases. The diastolic pressure showed an increase of 1.4 mm at 765.75 mm and 1.4 mm at 702.75 mm. Same data as 5-8-256, Aug. 1954. 36 refs. Summary: 1. Atmospheric pressure effects. 2. Blood pressure. — I. L. D.

32

11

CHEKIN, V.Ya.,

Requirements and methods of administration of vitamin C. Medych.
Zhur.24 no.1:94-98 '54. (MLRA 8:10)

1. Tsentral'na likarnya M. Vorkuta, Komi ASSR.
(VITAMIN C,
requirements & admin.)

CHEKIN, V. YA.
USSR/Botany

Card 1/1

Author : Chekin, V. Ya.

Title : Vitamin-carriers of the tundra

Periodical : Dokl. AN SSSR, 96, Ed. 2, 383 - 385, May 1954

Abstract : The quality of vegetables grown near the north pole region (in tundras) is not inferior to the quality of vegetables grown in more southern latitudes. On the contrary, tundra grown vegetables contain more vitamin C than other vegetables. Practical utilization of tundra grown plants rich in vitamin C for medicinal purposes is perfectly feasible. The collection and preparation of materials are not complicated. Of greatest importance is the drying of leaves because upon the drying depends the percentage of loss and preservation of the ascorbic acid. The drying of leaves should be carried out at a moderate temperature of 50 - 60°. Five USSR references. Tables.

Institution :

Presented by : Academician A. L. Kursanov, February 27, 1954

Translation - T142 R-

CHEKIN, V.Ya., doktor meditsinskikh nauk

~~_____~~
Vitamin C metabolism in injuries. Sov.med. 19 no.4:70-71 Ap '55.
(MLRA 8:6)

1. Iz bol'nitsy Vorkuty Komi ASSR.
(VITAMIN C, metabolism,
in trauma)
(WOUNDS AND INJURIES, metabolism in,
vitamin C)

CHEKIN, V.Ya., doktor meditsinskikh nauk (g. Vorkuta, Komi ASSR, Krasnoarmeyskaya ul., d. 15, kv. 4)

The problem of cavernotomy. Vest.khir. 75 no.3:20-25 Ap '55.

(MIRA 8:7)

1. Iz Tsentral'noy bol'nitsy Vorkuty (glavnyy vrach- V.Ya.Chekin).
(TUBERCULOSIS, PULMONARY, surgery,
cavernotomy)

CHEKIN, V.Ya., doktor meditsinskikh nauk (Vorkuta, Komi ASSR)

**Certain phases of gastric function in vitamin C insufficiency.
Terap.arkh. 28 no.2:81-85 '56. (MLRA 9:7)**

**(GASTRIC JUICE,
secretion in scurvy (Rus))
(SCURVY, physiology,
gastric secretion (Rus))**

CHEKIN, V.Ya., doktor meditsinskikh nauk.

Some results of extrapleural pneumothorax. Probl. tub. 34 no.1:
30-32 Ja-F '56 (MLRA 9:5)

1. Is TSentral'noy bol'nitsy Vorkuty (glavnyy vrach V.Ya. Chekin)
(PNEUMOTHORAX, ARTIFICIAL
extrapleural, results)
(COLLAPSE THERAPY
pneumolysis, results)

Chetkin, V.Ya.

CHETKIN, V.Ya.; AKIN'SHINA, N.G. (Petrozavodsk)

Blood transfusion in tuberculosis. Sov.med. 21 Supplement:10 '57.
(TUBERCULOSIS) (MIRA 11:2)
(BLOOD--TRANSFUSION)

CHEKIN, V.Ya., doktor meditsinskikh nauk (Petrosavodsk)

"Man's acclimatization in the north" by G.M. Danishevskii.

Reviewed by V. IA. Chekin. Klin. med. 35 no.1:147-148 Ja '57

(MLRA 10:4)

1. Glavnyy terapevt Kirovskoy sholeznoy dorogi.

(ARCTIC REGIONS--CLIMATE)

(MEDICAL GEOGRAPHY)

CHEKIN, V.Ya., doktor med.nauk

Report on the First Conference on Problems in Climatopathology in
the Clinical Treatment of Cardiovascular Diseases. Terap.arkh. 31
no.11:90-93 N '59. (MIRA 13:3)
(CARDIOVASCULAR SYSTEM--DISEASES) (CLIMATOLOGY, MEDICAL)

CHEKIN, V.Ya.

Relation between silicosis and tuberculosis. Arkh. pat. 22 no. 8:34-
38 '60. (MIRA 14:1)

(TUBERCULOSIS) (LUNGS—DUST DISEASES)

CHEKIN, V.Ya.

Characteristics of vitamin C metabolism in inhabitants of the
northern zone. Probl. Sev. no.6:120-129 '62. (MIRA 16:8)

1. Upravleniye vrachebno-sanitarnoy sluzhby Otktyabr'skoy
zheleznoy dorogi.

(ASCORBIC ACID)

(RUSSIA, NORTHERN--VITAMIN METABOLISM)

CHEKIN, V.Ya. (Leningrad)

Report on the second scientific conference on problems of climatology
in the clinical aspects of cardiovascular diseases. Vest. AMN SSSR
18 no.9:76-79 '63.
(MIRA 17:9)

CHEKIN, V. Ya., doktor med.nauk.

Results of the Second Scientific Conference of the Institute
of Therapy of the Academy of Medical Sciences of the U.S.S.R.
on problems of climatopathology in the clinical aspects of
cardiovascular diseases. Sov. Med. 27 no.7:151-153 J1'63.
(MIRA 16:9)

(CARDIOVASCULAR SYSTEM—DISEASES)
(CLIMATOLOGY, MEDICAL)

DMITRENKO, V.P.; CHEKINA, T.A.

Dependence of the rates of development of buckwheat on some
meteorological elements. Trudy Ukr NIGMI no.49:23-34 '65.
(MIRA 18:8)

CHEKINI, V.; TITSKIY, M.

Semiautomatic line without converters for "lean" processing of poultry.
Mias.ind. SSSR 33 no.3:6-7 '62.
(MIRA 15:7)

1. Poltavskiy mashinostroitel'skiy zavod myasnogo oborudovaniya.
(Poultry plants—Equipment and supplies)
(Assembly-line methods)

19

CHEKIRDA, A.T.

PROCESSES AND PROPERTIES INDEX

Artificial coloration of ultra-violet glasses. B. SHERRIN AND A. CHEKIRDA. *Kovm. i Stalo* 7, No. 10, 40-1(1931). Several glasses were subjected to artificial coloration by rays of a quartz lamp. The measurements were made in the interval from 340 μ to 270 μ and were controlled by the Winter method. Data on the results are tabulated. M. V. KONDOSOV

450-564 METALLURGICAL LITERATURE CLASSIFICATION

1931-1934

1935-1939

1940-1944

1945-1949

1950-1954

1955-1959

1960-1964

1965-1969

1970-1974

1975-1979

1980-1984

1985-1989

1990-1994

1995-1999

2000-2004

2005-2009

2010-2014

2015-2019

2020-2024

2025-2029

2030-2034

2035-2039

2040-2044

2045-2049

2050-2054

2055-2059

2060-2064

2065-2069

2070-2074

2075-2079

2080-2084

2085-2089

2090-2094

2095-2099

2100-2104

2105-2109

2110-2114

2115-2119

2120-2124

2125-2129

2130-2134

2135-2139

2140-2144

2145-2149

2150-2154

2155-2159

2160-2164

2165-2169

2170-2174

2175-2179

2180-2184

2185-2189

2190-2194

2195-2199

2200-2204

2205-2209

2210-2214

2215-2219

2220-2224

2225-2229

2230-2234

2235-2239

2240-2244

2245-2249

2250-2254

2255-2259

2260-2264

2265-2269

2270-2274

2275-2279

2280-2284

2285-2289

2290-2294

2295-2299

2300-2304

2305-2309

2310-2314

2315-2319

2320-2324

2325-2329

2330-2334

2335-2339

2340-2344

2345-2349

2350-2354

2355-2359

2360-2364

2365-2369

2370-2374

2375-2379

2380-2384

2385-2389

2390-2394

2395-2399

2400-2404

2405-2409

2410-2414

2415-2419

2420-2424

2425-2429

2430-2434

2435-2439

2440-2444

2445-2449

2450-2454

2455-2459

2460-2464

2465-2469

2470-2474

2475-2479

2480-2484

2485-2489

2490-2494

2495-2499

2500-2504

2505-2509

2510-2514

2515-2519

2520-2524

2525-2529

2530-2534

2535-2539

2540-2544

2545-2549

2550-2554

2555-2559

2560-2564

2565-2569

2570-2574

2575-2579

2580-2584

2585-2589

2590-2594

2595-2599

2600-2604

2605-2609

2610-2614

2615-2619

2620-2624

2625-2629

2630-2634

2635-2639

2640-2644

2645-2649

2650-2654

2655-2659

2660-2664

2665-2669

2670-2674

2675-2679

2680-2684

2685-2689

2690-2694

2695-2699

2700-2704

2705-2709

2710-2714

2715-2719

2720-2724

2725-2729

2730-2734

2735-2739

2740-2744

2745-2749

2750-2754

2755-2759

2760-2764

2765-2769

2770-2774

2775-2779

2780-2784

2785-2789

2790-2794

2795-2799

2800-2804

2805-2809

2810-2814

2815-2819

2820-2824

2825-2829

2830-2834

2835-2839

2840-2844

2845-2849

2850-2854

2855-2859

2860-2864

2865-2869

2870-2874

2875-2879

2880-2884

2885-2889

2890-2894

2895-2899

2900-2904

2905-2909

2910-2914

2915-2919

2920-2924

2925-2929

2930-2934

2935-2939

2940-2944

2945-2949

2950-2954

2955-2959

2960-2964

2965-2969

2970-2974

2975-2979

2980-2984

2985-2989

2990-2994

2995-2999

3000-3004

3005-3009

3010-3014

3015-3019

3020-3024

3025-3029

3030-3034

3035-3039

3040-3044

3045-3049

3050-3054

3055-3059

3060-3064

3065-3069

3070-3074

3075-3079

3080-3084

3085-3089

3090-3094

3095-3099

3100-3104

3105-3109

3110-3114

3115-3119

3120-3124

3125-3129

3130-3134

3135-3139

3140-3144

3145-3149

3150-3154

3155-3159

3160-3164

3165-3169

3170-3174

3175-3179

3180-3184

3185-3189

3190-3194

3195-3199

3200-3204

3205-3209

3210-3214

3215-3219

3220-3224

3225-3229

3230-3234

3235-3239

3240-3244

3245-3249

3250-3254

3255-3259

3260-3264

3265-3269

3270-3274

3275-3279

3280-3284

3285-3289

3290-3294

3295-3299

3300-3304

3305-3309

3310-3314

3315-3319

3320-3324

3325-3329

3330-3334

3335-3339

3340-3344

3345-3349

3350-3354

3355-3359

3360-3364

3365-3369

3370-3374

3375-3379

3380-3384

3385-3389

3390-3394

3395-3399

3400-3404

3405-3409

3410-3414

3415-3419

3420-3424

3425-3429

3430-3434

3435-3439

3440-3444

3445-3449

3450-3454

3455-3459

3460-3464

3465-3469

3470-3474

3475-3479

3480-3484

3485-3489

3490-3494

3495-3499

3500-3504

3505-3509

3510-3514

3515-3519

3520-3524

3525-3529

3530-3534

3535-3539

3540-3544

3545-3549

3550-3554

3555-3559

3560-3564

3565-3569

3570-3574

3575-3579

3580-3584

3585-3589

3590-3594

3595-3599

3600-3604

3605-3609

3610-3614

3615-3619

3620-3624

3625-3629

3630-3634

3635-3639

3640-3644

3645-3649

3650-3654

3655-3659

3660-3664

3665-3669

3670-3674

3675-3679

3680-3684

3685-3689

3690-3694

3695-3699

3700-3704

3705-3709

3710-3714

3715-3719

3720-3724

3725-3729

3730-3734

3735-3739

3740-3744

3745-3749

3750-3754

3755-3759

3760-3764

3765-3769

3770-3774

3775-3779

3780-3784

3785-3789

3790-3794

3795-3799

3800-3804

3805-3809

3810-3814

3815-3819

3820-3824

3825-3829

3830-3834

3835-3839

3840-3844

3845-3849

3850-3854

3855-3859

3860-3864

3865-3869

3870-3874

3875-3879

3880-3884

3885-3889

3890-3894

3895-3899

3900-3904

3905-3909

3910-3914

3915-3919

3920-3924

3925-3929

3930-3934

3935-3939

3940-3944

3945-3949

3950-3954

3955-3959

3960-3964

3965-3969

3970-3974

3975-3979

3980-3984

3985-3989

3990-3994

3995-3999

4000-4004

4005-4009

4010-4014

4015-4019

4020-4024

4025-4029

4030-4034

4035-4039

4040-4044

4045-4049

4050-4054

4055-4059

4060-4064

4065-4069

4070-4074

4075-4079

4080-4084

4085-4089

4090-4094

4095-4099

4100-4104

4105-4109

4110-4114

4115-4119

4120-4124

4125-4129

4130-4134

4135-4139

4140-4144

4145-4149

4150-4154

4155-4159

4160-4164

4165-4169

4170-4174

4175-4179

4180-4184

4185-4189

4190-4194

4195-4199

4200-4204

4205-4209

4210-4214

4215-4219

4220-4224

4225-4229

4230-4234

4235-4239

4240-4244

4245-4249

4250-4254

4255-4259

4260-4264

4265-4269

4270-4274

4275-4279

4280-4284

4285-4289

4290-4294

4295-4299

4300-4304

4305-4309

4310-4314

4315-4319

4320-4324

4325-4329

4330-4334

4335-4339

4340-4344

4345-4349

4350-4354

4355-4359

4360-4364

4365-4369

4370-4374

4375-4379

4380-4384

4385-4389

4390-4394

4395-4399

4400-4404

4405-4409

4410-4414

4415-4419

4420-4424

4425-4429

4430-4434

4435-4439

4440-4444

4445-4449

4450-4454

4455-4459

4460-4464

4465-4469

4470-4474

4475-4479

4480-4484

4485-4489

4490-4494

4495-4499

4500-4504

4505-4509

4510-4514

4515-4519

4520-4524

4525-4529

4530-4534

4535-4539

4540-4544

4545-4549

4550-4554

4555-4559

4560-4564

4565-4569

4570-4574

4575-4579

4580-4584

4585-4589

4590-4594

4595-4599

4600-4604

4605-4609

4610-4614

4615-4619

4620-4624

4625-4629

4630-4634

4635-4639

4640-4644

4645-4649

4650-4654

4655-4659

4660-4664

4665-4669

4670-4674

4675-4679

4680-4684

4685-4689

4690-4694

4695-4699

4700-4704

4705-4709

4710-4714

4715-4719

4720-4724

4725-4729

4730-4734

4735-4739

4740-4744

4745-4749

4750-4754

4755-4759

4760-4764

4765-4769

4770-4774

4775-4779

4780-4784

4785-4789

4790-4794

4795-4799

4800-4804

4805-4809

4810-4814

4815-4819

4820-4824

4825-4829

4830-4834

4835-4839

4840-4844

4845-4849

4850-4854

4855-4859

4860-4864

4865-4869

4870-4874

4875-4879

4880-4884

4885-4889

4890-4894

4895-4899

4900-4904

4905-4909

4910-4914

4915-4919

4920-4924

4925-4929

4930-4934

4935-4939

4940-4944

4945-4949

4950-4954

4955-4959

4960-4964

4965-4969

4970-4974

4975-4979

4980-4984

4985-4989

4990-4994

4995-4999

5000-5004

5005-5009

5010-5014

5015-5019

5020-5024

5025-5029

5030-5034

5035-5039

5040-5044

5045-5049

5050-5054

5055-5059

5060-5064

5065-5069

5070-5074

5075-5079

5080-5084

5085-5089

5090-5094

5095-5099

5100-5104

5105-5109

5110-5114

5115-5119

5120-5124

5125-5129

5130-5134

5135-5139

5140-5144

5145-5149

5150-5154

5155-5159

5160-5164

5165-5169

5170-5174

5175-5179

5180-5184

5185-5189

5190-5194

5195-5199

5200-5204

5205-5209

5210-5214

5215-5219

5220-5224

5225-5229

5230-5234

5235-5239

5240-5244

5245-5249

5250-5254

5255-5259

5260-5264

5265-5269

5270-5274

5275-5279

5280-5284

5285-5289

5290-5294

5295-5299

5300-5304

5305-5309

5310-5314

5315-5319

5320-5324

5325-5329

5330-5334

5335-5339

5340-5344

5345-5349

5350-5354

5355-5359

5360-5364

5365-5369

5370-5374

5375-5379

5380-5384

5385-5389

5390-5394

5395-5399

5400-5404

5405-5409

5410-5414

5415-5419

5420-5424

5425-5429

5430-5434

5435-5439

5440-5444

5445-5449

5450-5454

5455-5459

5460-5464

5465-5469

5470-5474

5475-5479

5480-5484

5485-5489

5490-5494

5495-5499

5500-5504

5505-5509

5510-5514

5515-5519

5520-5524

5525-5529

5530-5534

5535-5539

5540-5544

5545-5549

5550-5554

5555-5559

5560-5564

5565-5569

5570-5574

5575-5579

5580-5584

5585-5589

5590-5594

5595-5599

5600-5604

5605-5609

5610-5614

5615-5619

5620-5624

5625-5629

5630-5634

5635-5639

5640-5644

5645-5649

5650-5654

5655-5659

5660-5664

5665-5669

5670-5674

5675-5679

5680-5684

5685-5689

5690-5694

5695-5699

5700-5704

5705-5709

5710-5714

5715-5719

5720-5724

5725-5729

5730-5734

5735-5739

5740-5744

5745-5749

5750-5754

5755-5759

5760-5764

5765-5769

5770-5774

5775-5779

5780-5784

5785-5789

5790-5794

5795-5799

5800-5804

5805-5809

5810-5814

5815-5819

5820-5824

5825-5829

5830-5834

5835-5839

5840-5844

5845-5849

5850-5854

5855-5859

5860-5864

5865-5869

5870-5874

5875-5879

5880-5884

5885-5889

5890-5894

5895-5899

5900-5904

5905-5909

5910-5914

5915-5919

5920-5924

5925-5929

5930-5934

5935-5939

5940-5944

5945-594

1ST AND 2ND GROUPS										PROCESSES AND PROPERTIES INDEX										3RD AND 4TH GROUPS									
CHEKIRDA, A.T.																													
Gas-filled lamps giving daylight. B. E. Semelkin and A. T. Chokirda. <i>J. Tech. Phys.</i> (U. S. S. R.) 4, 666-6 (1934).—Some data are given for the emission spectra of several vacuum and gas-filled elec. lamps. F. H. R.																													
ASD-51A METALLURGICAL LITERATURE CLASSIFICATION																													
LITERATURE										LITERATURE										LITERATURE									
LITERATURE										LITERATURE										LITERATURE									

41988. BARABASHEV, N. P., CHEKIRDA, A. T., FEDORETS, V. A.-- Ob osveshchennosti zemnoy poverkhosti primym i rassennym solnechnym. Ushen. Zapiski khar'k. Gos. un-ta im. Gor'kogo, T. XXVIII. Publikatsii Astron. Observatorii, t. VIII, 1948, S. 21-27

SO: Letopis' Zhurnal'nykh Statey, Vol. 47, 1948

BARABASHEV, N.P.; CHEKIRDA, A.T.

Red-, yellow-, green-, and blue-light spectrophotometry of Mars.
TSir. Astron. obser. Khar.un. no.9:3-28 My '52. (MIRA 9:4)
(Mars (Planet)) (Spectrophotometry)

~~CHERKIN~~DA, A.T. (Khar'kov).

Brief news. Astron.tsir. no.133:12 Ja '53.

(MLRA 6:6)
(Planets)

CHEKIRDA, A.T.

Plenum of the Committee on Planetary Physics of the Astronomical
Council of the Academy of Sciences of the U.S.S.R., held on
June 8-10, 1953. Astron.teir. no.140:21-22 Ag '53. (MLRA 7:1)
(Astrophysics)

Cherkirda, A.
CHERKIRDA, A.

Third plenary session on the physics of planets. Astron. tsir.
no.161:21-24 J1'55. (MIRA 8:12)
(Planets)

CHEKIRDA, A.T.

BARABASHOV, N.P.; CHEKIRDA, A.T.

Comparing the color and the luminosity ratio of different regions
of the moon's surface with some terrestrial rocks. TSir.Astron.obser.
Khar.un. no.15:9-15 '56. (MIRA 10:5)
(Moon--Surface)

BARABASHOV, N.P.; CHEKIRDA, A.T.

Comparing the color and the luminosity ratio of different regions
of the moon's surface with some terrestrial rocks. Astron. zhur. 33
no.4:549-555 J1 - Ag. '56. (MLBA 9:11)

1. Khar'kovskaya astronomicheskaya observatoriya.
(Moon--Surface)

CHEKINA, A.T.

24(0); 5(a); 6(2) PHASE I BOOK EXPLOITATION 90V/2215
 Vsesoyuznyy nauchno-issledovatel'skiy institut metrologii imeni
 D.I. Mendeleeva
 Referaty nauchno-issledovatel'skikh rabot; sbornik No. 2 (Scientific
 Research Abstracts; Collection of Articles, No. 2) Moscow,
 Standartgiz, 1958. 139 p. 1,000 copies printed.
 Additional Sponsoring Agency: USSR, Komitet standartov, mer i
 izmeritel'nykh priborov.
 Ed.: S. V. Reshetina; Tech. Ed.: M. A. Kondrat'yeva.
 PURPOSE: These reports are intended for scientists, researchers,
 and engineers engaged in developing standards, measures, and
 gauges for the various industries.
 COVERAGE: The volume contains 128 reports on standards of measure-
 ment and control. The reports were prepared by scientists of
 institutes of the Komitet standartov, mer i izmeritel'nykh
 priborov pri Sovetskom Ministerstve SSSR (Commission on Standards,
 Measures, and Measuring Instruments) under the USSR Council of
 Ministers). The participating institutes are: VNIIM -
 Vsesoyuznyy nauchno-issledovatel'skiy metrologii imeni D.I.
 Mendeleeva (All-Union Scientific Research Institute of Met-
 rology); VNIIT - Vsesoyuznyy nauchno-issledovatel'skiy
 institut (All-Union Scientific Research Institute of the Commission
 on Standards, Measures, and Measuring Instruments), created
 from NIIIMP - Moskovskiy gosudarstvennyy institut mer i
 izmeritel'nykh priborov (Moscow State Institute of Measures
 and Measuring Instruments) October 1, 1955; VNIITsiko-tekhnicheskikh
 i radiotekhnicheskikh izmereniy (All-Union Scientific
 Research Institute of Technical and Radio-engineering
 Measurements) in Moscow; KNIIMP - Kharkovskiy gosudarstvennyy
 institut mer i izmeritel'nykh priborov (Kharkov State Institute
 of Measures and Measuring Instruments); and NIIIMP - Novosibirskiy
 gosudarstvennyy institut mer i izmeritel'nykh priborov
 (Novosibirsk State Institute of Measures and Measuring Instru-
 ments). No personalities are mentioned. There are no references.

Landyba, V.V., Y.Ye. Finkel'shteyn, A.T. Cherkova, and I.A.
 Ruzantsev. (KNIIMP). Measuring the Free Combustion Temperature
 of Basic Industrial Fuels 86
 Levin, G.M., A.K. Semanova, and V.I. Vol'mur. (Sverdlovsk Branch
 of VNIIM). Studying Characteristic Curves of Thermal Inertia
 in Thermal Sensing Devices 87
 Gornel'skiy, K.Z. (Sverdlovsk Branch of VNIIM). Determining
 Thermal Capacity of Solids at High Temperatures 87
 Levin, G.M., and E.M. Malkova. (Sverdlovsk Branch of VNIIM).
 Studying Methods for Determining Thermal Characteristics of
 Materials on the Basis of the Theory of Regular Thermal Condi-
 tions 89
 Kosolapov, G.L., and B.S. Estrin. (KNIIMP). Developing and
 Creating an Automatic Thermostat for Checking Standard Thermometers
 With Values of Division 0.1°C or Less 90
 Card 18/27

AUTHOR: Chekirda, A. T., Candidate of Physical and Mathematical Sciences SOV/30-58-9-21/43

TITLE: From the Council of Astronomers (V astronomicheskoi sovete) Transactions of the Plenary Meeting of the Committee of Planetary Physics (Plenum Komissii po fizike planet)

PERIODICAL: Vestnik Akademii nauk SSSR, 1958, ²⁸ Nr 8, pp. 113-114 (USSR)

ABSTRACT: This plenary meeting was held in Khar'kov from May 20-22. It was attended by the astronomers of a number of observatories of the USSR, by representatives of the Council of Astronomers and by the Director of the Nanking Observatory Chzhan Yuy-chzhe. Results of observations of the surface of Mars and of the moon in 1956 were the subject of the reports. The following lectures were held:
V.V. Sharonov stated that the surface of Mars is darker and more red than corresponding samples from terrestrial deserts.
N.P. Barabashov discussed results of Mars photometry which were conducted by him in the Khar'kov observatory with the assistance of I.K. Koval'.

Card 1/4

From the Council of Astronomers. Transactions
of the Plenary Meeting of the Committee of Planetary Physics

SOV/30-58-8-21/43

K.I. Kozlova } communicated some results of Mars photo-
Yu.V. Glagolevskiy } metry which was carried out by the Sektor
astrobotaniki Akademii nauk Kazakhskoy SSR
(Department of Astrobotany AS Kazakh USSR).

A.N. Suslov spoke on the intensity of tellurium lines.

N.P. Barabashov } reported on results of spectrophotometry
V.I. Yezerkiy } obtained in the observatory of Crimea.

A.T. Chekirda }

N.D. Kalinenkov reported on spectrophotometric measurements
of details of the surface of Mars which were conducted in
Kazan'.

B.A. Bronshten } reported on results of photographic photo-
O.B. Rzhantsyna } metry of the bright region Argir on Mars.

M.M. Butelava } reported on the first utilization of electron-
A.A. Kalinyak } optical transducer in photographing Mars in the
L.A. Kamionko } Pulkovo observatory.

V.V. Sharonov reported on most recent Mars research in foreign
countries.

N.P. Barabashov spoke about problems and methods of lunar re-
search.

Card 2/4

From the Council of Astronomers. Transactions

SOV/30-58-8-21/43

of the Plenary Meeting of the Committee of Planetary Physics

B.Yu. Levin } spoke about results of the theoretical inves-
S.V. Mayeva } tigation of the thermal history of Mars and the
moon.

B. Yu. Levin spoke about the history of the motion of the
moon and about geological properties of its material.

V.V. Sharonov, Professor, read the paper by N.N. Sytinskaya
on the development and the confirmation of the hypo-
theses concerning the nature of the surface layers of
the moon.

A.V. Markov reported on the equipment in Pulkovo for thermo-
electrical temperature measurements of narrow strips of
the surface of the moon.

Yu.N. Chistyakov communicated the first results of research
with this equipment.

N.N. Kaydanovskiy spoke about prospects in the investigation
of thermal radiation from the moon (based upon observa-
tions by Ye.K. Kokhan in the Abastumani observatory).

N.P. Barabashov } reported on preliminary results of the in-
I.K. Koval' } vestigation of the polarization of the moon

Card 3/4

From the Council of Astronomers. Transactions SOV/30-58-8-21/43
of the Plenary Meeting of the Committee of Planetary Physics

by means of light filters.

Yu.N. Lipskiy spoke about the necessity of taking into consideration the variations in the degree and the direction of polarization of moon details, when they are spectrographed simultaneously.

T.A. Polozhentseva	}	reported on the determination of color contrasts on the surface of the moon by means of photographic spectrophotometry.
V.G. Teyfel'		
A.N. Sergeyeva		
N.P. Barabashov		
V.I. Yezerskiy		
V.A. Fedorets		

Card 4/4

Chekirda, A.T.

PHASE I BOOK EXPLOITATION

SOV/4302

Akademiya nauk SSSR. Komissiya po fizike planet

Izvestiya, vyp. 1 (News of the Commission on the Physics of Planets, No. 1)
Khar'kov, 1959. 108 p. 1,000 copies printed.

Editorial Board: N.P. Barabashov, Academician of the Academy of Sciences
Ukrainskaya SSR (Resp. Ed.); V.I. Yezerskiy, Candidate of Physics and
Mathematics (Secretary); A.V. Markov, Professor; Yu. N. Lipskiy, Candidate of
Physics and Mathematics; and A.T. Chekirda, Candidate of Physics and Mathematics;
Ed.: D.A. Vaynberg; Tech. Ed.: A.S. Trofimenko.

PURPOSE: This publication is intended for astrophysicists and astronomers.

COVERAGE: This collection of articles constitutes the first issue of a new journal
on problems in planetary physics. The first six articles discuss the surface
features, polarimetry, and spectrophotometry of the Moon. The remaining articles
deal with the physics of Mars, Jupiter, and the asteroids. No personalities are
mentioned. References accompany individual articles.

Card 1/3

News of the Commission (Cont.)

80V/4302

TABLE OF CONTENTS:

Barabashov, N.P., and A.T. Chokirda. Types of Rocks Most Closely Corresponding to Those of the Lunar Surface	5
Kokhan, Ye. K. Investigation in Three Parts of the Spectrum of the Degree and Angle of the Position of the Plane of Polarization of Light Reflected From Lunar Features	41
Barabashov, N.P., and I.K. Koval'. Photographic Polarimetry of the Moon With Light Filters	55
Sergeyeva, A.N. Spectrophotometry of Lunar Formations	59
Barabashov, N.P., V.A. Yezerskaya, and V.I. Yezerskiy. The Problem of the Photometric Uniformity of the Moon's Surface	67
Sytinskaya, N.N. Probable Dimensions of the Ruggedness of the Microrelief of the Moon's Surface	81

Card 2/3

News of the Commission (Cont.)

SOV/4302

Koval', I.K. The Degree of Smoothness of the Martian Continents
and Seas

85

Teyfel', V.G. Intensity Distribution on Jupiter's Disk in the Bands
of Methane Absorption

93

Mayeva, S.V. Thermal History of Asteroids

105

AVAILABLE: Library of Congress

Card 3/3

JA/dvm/mas
10-10-60

BARABASHOV, N.P.; KOVAL', I.K.; CHEKIRDA, A.T.

Some results of the photometry of cloud formations on Mars.
Izv.Kom.po fiz.plan. no.2:36-40 '60. (MIRA 14:3)
(Mars (Planet))

S/751/61/000/008/001/005

AUTHORS: Barabashov N. P., Koval', I. K., Chekirda, A. T.

TITLE: Photometric Investigations of Mars in 1958.

SOURCE: Akademiya nauk SSSR. Komissiya po fizike planet. Izvestiya. no. 3.
Kharkov, 1961. 3 - 15.

TEXT: Data are presented on the distribution of brightness along the intensity equator and central meridian of Mars, obtained on the basis of photographic observations of the planet using optical filters. The emulsions and filters employed are listed, and the exposures stated. No tie-in was made with the sun, since the experiment was not aimed at obtaining a detailed list of absolute brightnesses. All negatives were calibrated with a tubular photometer and measured with a MF-2 microphotometer. Data on the contrast between the bright and dark regions, and on the variation of the brightness of the northern and southern polar regions of Mars, are tabulated. Except for one longitude region, satisfactory correlation is observed between the "red" and "blue" curves, and the lack of correlation in the particular region is attributed to the specific distribution of the energy in the spectrum of the corresponding seas.

Card 1/2

Photometric Investigations of Mars....

S/751/61/000/008/001/005

of Mars, with the "blue atmospheric haze playing a secondary role. There are 5 tables.

ASSOCIATION: Astronomicheskaya observatoriya Khar'kovskogo universiteta
(Astronomical Observatory of the Kharkov University)

Card 2/2

S/035/62/000/009/002/060
A001/A101

AUTHOR: Chekirda, A. T.

TITLE: The Sixth plenum of the Commission for the Physics of Planets at the Astronomical Council, AS USSR

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 9, 1962, 7, abstract 9A33, ("Izv. Komis. po fiz. planet", 1961, no. 3, 96 - 99)

TEXT: The plenum of the Commission was held at Khar'kov on October 24 - 27, 1960. The reports dealt with the results of processing the first photographs of the Moon's back side (N. P. Barabashev, Yu. N. Lipskiy, D. Ye. Shchegolev, etc.), results of lunar studies by radio methods (N. L. Kaydanovskiy, A. Ye. Salomonovich), photometric, polarization and other methods (V. V. Sharonov, V. G. Teyfel', V. P. Dzhashvili, etc.), as well as theoretical investigations (B. Yu. Levin, Ye. L. Ruskol). Several reports dealt with studies of Mars, Venus and Saturn. ✓

L. R.

[Abstracter's note: Complete translation]

Card 1/1

CHEKIRDA, A.T.

Plenum of the Committee on Planetary Physics of the Astronomical
Council of the Academy of Sciences of the U.S.S.R. Astron.sbur. 38
no.3:571-573 My-Je '61. (MIRA 14:6)
(Planets)

Chekirda, A. Z.

AUTHOR: Chekirda, A. Z.

49-7-12/14

TITLE: On the hydrodynamic theory of the centres of activity in the atmosphere. (K gidrodinamicheskoy teorii tsentrov deystviya atmosfery).

PERIODICAL: Izvestiya Akademii Nauk, SSSR, Seriya Geofizicheskaya, 1957, No.7, pp.954-958 (USSR)

ABSTRACT: From the point of view of meteorology, the steady state disturbances of the zonal circulation, the "centres of activity" of the atmosphere, are of interest which occur as a result of non-uniform heating of the mainlands and the oceans during summer or winter. The hydrodynamic theory of centres of activity was first expounded by Ye. N. Blinova (Ref.1); in solving the problem of long term forecasting of the pressure, temperature and wind at a medium level, Blinova also solved the steady state problem. One of the equations is that of changing the speed vortex of Friedman, projected onto a vertical axis. The solution is sought for a west-east transfer in the form of developing of the function of the current into series by means of spherical functions, assuming that the pressure, temperature and density are independent of the altitude. However, one of the important features of the atmosphere is that these

Card 1/2

49-7-12/14

On the hydrodynamic theory of the centres of activity in the atmosphere. (Cont.)

values are dependent on the altitude. In later work (Ref.2) Blinova reduced the problem to solving the following equation:

$$\alpha_1 \Delta \varphi + 2\omega \varphi = F(\theta, \lambda)$$

Card 2/2

and the solution of this equation was applied by the author of this paper for calculating the atmospheric pressure at sea level. The results of his calculations are plotted in the chart, Fig.2, p.957, and it can be seen that they are in good agreement with the real distribution plotted in the chart, Fig.1 and this indicates that, in spite of the applied simplifying assumptions, the calculations can be of interest. There are 2 figures and 2 Slavic references.

SUBMITTED: January 22, 1957.

ASSOCIATION: Central (Weather) Forecasting Institute.
(Tsentral'nyy Institut Prognozov).

AVAILABLE: Library of Congress

CHEKIRDA, A.Z.

Considering the relationship between the speed of the zonal stream and latitude in numerical prediction of the current function field at a mean atmospheric level. Izv. AN SSSR. Ser. geofiz. no.11: 1692-1705 N '61. (MIRA 14:11)

1. Akademiya nauk SSSR, Ob'yedinennyy meteorologicheskoy vychislitel'nyy tsentr.

(Numerical weather forecasting)

ACCESSION NR.: AT4034676

S/0000/64/000/000/0075/0098

AUTHOR: Chakirda, A. Z.

TITLE: Forecasting the heights of an isobaric surface of the mean level of the atmosphere, taking into account the real profile of zonal flow velocity

SOURCE: AN SSSR. Ob'yedinenny'y meteorologicheskiy vy'chislitel'ny'y tsentr. Gidrodinamicheskiy dolgosrochn'y prognoz pogody* (Hydrodynamic long-range weather forecasting). Moscow, Izd-vo "Nauka", 1964, 75-98

TOPIC TAGS: meteorology, zonal flow, flow velocity profile, atmospheric pressure, atmospheric neutral wave, weather forecasting, long-range weather forecasting

ABSTRACT: The principal content of this paper is an investigation of the influence of the real profile of zonal flow on the development of processes at the mean level of the atmosphere. In this study it was found that pressure formations having a greater extent along a meridian than along a circle of latitude are deformed slowly by zonal flow and in the course of a certain fixed time, almost without changing configuration, are carried along in this flow. Pressure formations having a greater extent along a circle of latitude than along a meridian do not persist long and under the influence of zonal flow are broken down into small centers. The lifetime of pressure formations can be determined qualitatively

Card 1/2

ACCESSION NR.: AT4034676

from the configuration of a particular pressure formation. The character of the zonal profile determines the rate of movement of pressure formations. Pressure formations move at different velocities in dependence on the character of the zonal profile. The exchange of energy between waves of different kinds is related closely to the character of the zonal profile. The stronger the curvature of the zonal profile, the stronger is the energy exchange. Neutral waves are not present in the atmosphere when there is a real zonal profile. An allowance for the real zonal profile in numerical forecasting of nonzonal deviations of the heights of the 600-mb surface leads to a substantial improvement in the results. The problem of forecasting the zonal profile therefore is considered of the greatest importance. Orig. art. has: 18 formulas, 21 figures and 4 tables.

ASSOCIATION: Ob'yedinenny'y meteorologicheskii vy*chislitel'ny'y tsentr AN SSSR (Joint Meteorological Computation Center AN SSSR)

SUBMITTED: 22Nov63

DATE ACQ: 16Apr64

ENCL: 00

SUB CODE: ES

NO REF SOV: 002

OTHER: 004

Card 2/2

L 11349-65 FSP(h)/FSS-2/EMT(1)/FS(v)-3/FCG/EMG(v) Po-4/Pe-5/Pq-4/Pao-2/

PI-4 TT/GW

ACCESSION NR: AT4046060

S/2531/64/000/166/0189/0202

AUTHOR: Musavelyan, Sh. A.; Chekirda, A. Z.

TITLE: Numerical interpretation of cloud data transmitted by meteorological satellites

SOURCE: Leningrad. Glavnaya geofizicheskaya observatoriya. Trudy*, no. 166, 1964. Voprosy* interpretatsii dannykh meteorologicheskikh sputnikov (Problems in the interpretation of data of meteorological satellites), 189-202

TOPIC TAGS: vertical air current, cloud distribution, ¹²meteorological satellite cloud data

ABSTRACT: A mathematical method is proposed for determining the field of vertical currents from cloud distribution data obtained from meteorological satellites. The method is based on the premise that the decisive factor in the formation of clouds is the presence of vertically rising currents, and that in the presence of descending currents, no new clouds are formed and those already in existence start to

Card 1/2

I 11349-65

ACCESSION NR: AT4046060

break up. The accuracy of the results obtained with the proposed method depends not only on the validity of the method but also on the quality and quantity of the initial data used to compute the basic values of the coefficients of linear relationships. Orig. art. has: 13 figures and 9 formulas.

ASSOCIATION: Glavnaya geofizicheskaya observatoriya (Main Geophysical Observatory)

SUBMITTED: 00

ATD PRESS: 3118

ENCL: 00

SUB CODE: ES

NO REF SOV: 001

OTHER: 000

Cord 2/2

L 10970-67 FSS-2/EWT(1) TD/GD

ACC NR: AT6036587

SOURCE CODE: UR/0000/66/000/000/0214/0215

33

AUTHOR: Kolosov, I. A.; Chekirda, I. F.; Lebedev, V. I.; Khlebnikov, G. F.;
Kas'yan, I. I.

ORG: none

TITLE: Rotation tests as a method of detecting covert forms of motion sickness under conditions of weightlessness [Paper presented at the Conference on Problems of Space Medicine held in Moscow from 24 to 27 May 1966]

SOURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Moscow, 1966, 214-215

TOPIC TAGS: weightlessness, biologic acceleration effect, coriolis acceleration, motion sickness, diagnostic medicine, vestibular analyzer

ABSTRACT: Some Soviet cosmonauts (G. S. Titov, V. V. Nikolayeva-Tereshkova, K. P. Feoktistov, B. B. Yegorov) with adequately high vestibular analyzer resistance to motion sickness experienced vestibulo-autonomic discomfort under conditions of prolonged weightlessness. In this connection, the problem of exposing people suffering from vestibular disorders assumes the greatest significance. An attempt to identify latent forms of motion sickness more completely was undertaken.

Card 1/4

L 10970-67

ACC NR: AT6036587

0.

The methodological approach consisted of a modified Barani rotational test (10 rotations for 10 sec) during horizontal flight in a jet aircraft and during conditions of weightlessness (25 sec). During the first stage, the rotational test was conducted during the five sec after the beginning of stabilized weightlessness. In the second stage, the same people were rotated at the beginning of the transition period from 2 G to 0 G for 5 sec and then for an additional 5 sec during the beginning of weightlessness.

Examinations were conducted on male subjects aged 23—45 with high vestibular resistance to motion sickness under terrestrial conditions and high tolerance of weightlessness during flights.

Three basic components of the vestibular analyzer were studied:

1. somatic (duration of postnystagmus)
2. autonomic (pulse rate, perspiration, skin color)
3. sensory (subjective illusions, illusions of counterrotation).

It was revealed that 18.2% of the subjects had latent forms of motion sickness during rotational tests under conditions of stabilized weightlessness. In this group, the duration of counterrotational illusion was prolonged, as was postrotational nystagmus by 2—5 sec compared to horizontal flight

Card 2/4

1. 10470-57

ACC NR: AT6036587

data, paleness or redness of facial skin was apparent, and moderate hyperhydrosis was noted as were illusions of changed body position with the eyes closed. Increased salivation and worsened subjective feelings were also noted.

Vestibulo autonomic discomfort was not observed in the remainder of subjects. The duration of counterrotational illusion and postrotational nystagmus was shortened by 4—6 sec in the majority of subjects, while in others these indices were not shortened.

At the beginning of rotation in the period of transition from positive G to weightlessness during the second stage, tolerance of angular accelerations during stabilized weightlessness revealed 22.2% more cases of latent motion sickness. In these subjects, the duration of counterrotational illusions increased as compared to their duration during stabilized weightlessness; pronounced paleness of facial skin, lip cyanosis, pronounced, general hyperhydrosis, nausea, hypersalivation, and discomfort in the area of the stomach were observed. The termination of nystagmus could not be fixed relative to the onset of accelerations following weightlessness.

In the opinion of the authors, symptoms of motion sickness during ro-
Card 3/4

L 10970-57

ACC NR: AT6036587

tational tests under conditions of stabilized weightlessness were found for the following reasons: first, under conditions of weightlessness the function of the otolithic component of the vestibular apparatus was modified due to the unusual position of the otoliths (floating state) which led to increased sensitivity to angular accelerations during rotation of the chair; second, manifestations of Coriolis accelerations as a result of Barani chair rotation during parabolic flight.

In those cases when the rotational test was completed in the period of transition from acceleration to weightlessness, additional adequate irritation of the otoliths associated with a sharp switch from a "plus" stimulus to a "minus" took place, facilitating the more rapid accumulation of Coriolis accelerations.

Therefore, the use of a modified rotational test under short-term weightlessness conditions reveals latent forms of motion sickness even in people with high resistance and can be used for prognostic purposes.

Use of the rotational test in the period of transition from acceleration to weightlessness reveals latent forms of motion sickness most effectively.

[W.A. No. 22; ATD Report 66-116]

SUB CODE: 06 / SUBM DATE: 00May66

L 43979-66 EWT(1)/FSS-2 DD

ACC NR: AP6029423

SOURCE CODE: UR/0177/66/000/008/0060/0062

AUTHOR: Khilov, K. L. (Professor); Kolosov, I. A. (Major, Medical corps); Lebedev, V. I. (Lieutenant colonel, Medical corps); Chekirda, I. F. (Senior lieutenant, Medical corps)

ORG: none

TITLE: Changes in acceleration sensitivity thresholds under conditions of brief weightlessness

SOURCE: Voyenno-meditsinskiy zhurnal, no. 8, 1966, 60-62

TOPIC TAGS: weightlessness, acceleration biologic effect, space physiology, human physiology, acceleration tolerance, vestibular training, vestibular analyzer

ABSTRACT: A preliminary step of this investigation involved determining a trend in acceleration sensitivity shifts during brief weightlessness (parabolic flights). After determining the sensitivity of the vestibular analyzer, the following method of judging the sensitivity of the horizontal semicircular canals to angular accelerations was employed: A subject was fixed in a Barany chair with head inclined forward 30° and eyes closed. At first, the chair was rotated at a rate of 180° per 20 sec. If a sensation of rotation did not occur, the chair was then rotated through 360° for 20 and 15 sec with a 3-5 min interval. Only positive acceleration sensitivity thresholds were considered and stopping sensations were neglected. The chair was

Card 1/3

UDC: 612.886-06:629.19

L 43979-66

ACC NR: AP6029423

rotated manually by a physician. In a few cases, electronystagmograms were recorded. When a subject sensed acceleration, he informed the physician who fixed the onset time with a stop watch. Background data were gathered during normal horizontal flight. Rotation commenced 5 sec after the beginning of weightlessness. The duration of weightlessness periods was 24—26 sec. Before and after weightlessness, head-pelvis forces of 1.8 and 2.0 G lasting 10—12 sec were experienced. Eleven males aged 23—45 were studied and a total of 24 experiments were run. Of this number, three subjects were exposed to weightlessness once, five were exposed twice during a single flight, and six were exposed from two to six times in the course of 2—3 flights. Analysis of the data from weightlessness runs revealed a shift in the threshold sensitivity of the horizontal semicircular canals to angular accelerations. In every case there was an increase in the duration of the rotational time necessary to obtain a threshold sensation which indicated decreased excitability of canal receptor formations. In 4 subjects, rotation sensation occurred at the 15th and 16th sec at a rate of 180° per 20 sec in horizontal flight; at the same rate during weightlessness no threshold sensation was observed. In one subject, a rate of 360° per 20 sec brought on a rotational sensation after 12 sec while during weightlessness, no sensation occurred. In the remaining subjects, the time necessary to induce a manifestation of rotational sensation during weightlessness was increased by 3—11 sec compared to control data taken during horizontal flight. The average elapsed time necessary to evoke threshold rotational sensation increased by 1.7 compared with average background (horizontal flight) values. It was concluded that brief weightlessness following positive accelerations leads to an increase in acceleration sensitivity thresholds. These increases are apparently due to the elimination of the

Card. 2/3

L 43979-66

ACC NR: AP6029423

activating influence of otoliths on sensory reactions of the semicircular canals
as a result of a "loss" of otolith weight. [CD]

SUB CODE: 06/ SUBM DATE: none/ ATD PRESS: 507/

Card 3/3 ULR

30273

S/035/61/000/010/027/034
A001/A101

3.1550 (104, 1057)

AUTHORS: Barabashov, N.P., Koval', I.K., Chekirda, I.T.

TITLE: Some results of photometry of cloudy formations on Mars

PERIODICAL: Referativnyy zhurnal. Astronomiya i Geodeziya, no. 10, 1961, 66, abstract 10A457 ("Izv. Komis. po fiz. planet", 1960, no. 2, 36-40)

TEXT: Blue clouds observed mainly in the equatorial zone of the planet are described on the basis of photographs taken in 1958 by means of a 10" reflector of the Khar'kov Observatory with the equivalent focus equal to 15.3 m in ultraviolet ($\lambda 3600$) and blue ($\lambda 4200$) portions of spectrum. The existence of a photometric scale makes it possible to obtain the curves of brightness distribution along the equator of intensity, when the clouds are present and at their absence. The analysis of materials has shown that the presence of clouds on the disk and terminator does not depend on the albedo of the underlying solid surface of Mars. The value of cloud-background contrasts, and the albedo of the clouds on the terminator are higher than on the disk. On an average, the bright-

Card 1/2

Some results of photometry ...

30273
S/035/61/000/010/027/034
A001/A101

ness of clouds exceeds the background brightness by 14%. On assumption that the clouds studied are analogous, in their nature, to cirrus clouds of the Earth's atmosphere, their thickness was estimated to be 3 - 6 m. ✓

[Abstracter's note: Complete translation]

I. Lebedeva

Card 2/2

L 17448-63

EPA/EPR/EPF(•)/EWT(m)/BDS AFFTC/AFGC Pa-4/Ps-4/Pr-4

BW/RM/WW/JW/DE/JWD/H

ACCESSION NR: AP3006130

S/0207/63/000/004/0099/0101

AUTHOR: Bobolev, V. K. (Moscow); Chekirda, L. F. (Moscow); Chuyko, S. V. (Moscow) 82 78

TITLE: Transition to detonation during normal burning of porous explosives at slightly increasing pressure

SOURCE: Zhurnal prikladnoy mekhaniki i tekhnicheskoy fiziki, no. 4, 1963, 99-101

TOPIC TAGS: solid explosive, secondary explosive, combustion, deflagration-detonation transition, hexogen, solid-propellant detonation

ABSTRACT: Experiments have shown that the pores on the burning surface of melting secondary explosives are covered by the melt only at comparatively low pressures. When the pressure reaches a critical value (P_*), the surface of the melt is disrupted and intermediate gaseous combustion products from the dark zone penetrate into the pores, where they cause thermal decomposition of the explosive. After an induction period the intermediate products enriched by the thermal decomposition products undergo self-ignition followed by detonation.

Card 1/3

L 17448-63

ACCESSION NR: AP3006130

2

Flames inside the pores are not observed when the pore walls are coated with an inert material. Experiments with pressed hexogen of 160--250- μ particle size and 0.7 density were conducted in a manometric bomb equipped with high- and low-speed photoregisters and with piezoelectric pressure pickups for recording the pressure in the bomb and in the pores. The pressure P_* can be calculated by the formula

$$P_* \leq \frac{12 \delta \chi (\rho - \rho_*)}{(1 - \delta) D \rho}$$

where ρ_* is the density of the melt, ρ is the density of the solid explosive, χ is the thickness of the molten layer at 1 atm, and D is the particle diameter; P_* was about 3 atm for the hexogen tested. A plot of detonation pressure (P) versus the pressure-increase rate obtained with hexogen specimens 40 mm high and 8 mm in diameter showed that the characteristic time constant, the time required for development of self-ignition, is about 0.7 sec. Four combustion regimes (normal, convective, explosive, and detonative) are defined by inequalities in terms of the rate of gas penetration into the pores and the

Card 2/3

L 17448-63
ACCESSION NR: AP3006130

2

flow velocity of the combustion products. "The authors thank I. A. Karpukhin
and G. A. Afanas'yev for evaluating certain problems." Orig. art. has: 5
figures and 1 formula.

ASSOCIATION: none

SUBMITTED: 18Mar63

DATE ACQ: 11Sep63

ENCL: 00

SUB CODE: AS, FL

NO REF SOV: 002

OTHER: 003

Card 3/3

L 16204-63

JW/JWD/H

EPR/EPF(c)/EWT(m)/BDS AFFTC PB-4/PT-4 RM/BW/WW/

ACCESSION NR: AP3006345

S/0258/63/003/003/0460/0467

AUTHOR: Margolin, A. D. (Moscow); Chakirda, L. P. (Moscow); Chuyko, S. V. (Moscow)

TITLE: The combustion stability of liquid explosives at constant pressure

SOURCE: Inzhenerny*zhurnal, v. 3, no. 3, 1963, 460-467

TOPIC TAGS: combustion stability, combustion instability, liquid explosive, propellant, stability analysis, liquid fuel, nitroglycol, instability mode, combustion

ABSTRACT: A comprehensive theoretical and experimental study of combustion stability is presented. An analysis is made of combustion in an infinite vessel based on L. D. Landau's general theory on the combustion stability of liquid explosives (K teorii medlennogo goreniya. Zh. eksperiment. i teoret. fiziki, v. 14, no. 4, 1944), and the following formulas are derived for determining the dimensionless wave number of dangerous oscillations (x_n) (those which develop most rapidly) and the time required for their development (τ_n):

$$x_n = 4/3n^2; \text{ and } 1/\tau_n = 1.5 (gn^3/J_1)\sqrt{\rho_1\rho_2}^*,$$

Card 1/85

L 16204-63

ACCESSION NR: AP3006345

$$n \propto (J/J_1) \sqrt{\frac{\rho_1}{\rho_2}}, \quad J = \rho_1 v_1 \quad (\text{the mass burning rate}),$$

and $J_1 = \rho_1 v_1^*$ (the critical mass burning rate). The region in which oscillations are amplified was defined by inequalities in terms of n and x . The values of τ_{nn} and x_n were calculated for nitroglycol and tabulated in the range of $n = 1 - 2$. A plot of x versus n is shown in Fig. 1 of the Enclosure. Experiments with nitroglycol were conducted in tubes (1.5-10mm diameter) and in rectangular vessels (2x10 mm). To secure uniform ignition along the entire surface, nitroglycol was ignited by a layer of steadily burning ethylnitrate placed over the nitroglycol and ignited by a nichrome wire. The time of development of unstable combustion of nitroglycol was less than 0.1 sec. The effects of the tube diameter and the shape of the vessel on combustion stability were also studied. Some of the results are shown in Fig. 2 and Fig. 3 of the Enclosure. Fig. 3 shows that in tubes of small diameter the largest possible perturbations will be the most dangerous while in tubes of large diameter the most dangerous will be perturbations having the highest values of i . Further analysis yielded criteria for the effect of

Card 2/63

L 16204-63

ACCESSION NR: AP3006345

gravitation on combustion stability. Stability at zero gravity is discussed. On the basis of photographs obtained by high-speed frame photography, it is shown that flame pulsations arise as a consequence of perturbations of the liquid surface. Both radial and tangential instability modes were distinguished. The wave length of the oscillations was evaluated as 2—8 mm, which lies within the range of dangerous oscillations predicted by theory. Measurements of flame pulsations indicated that their frequency increases somewhat with increasing pressure. Photographs of nitroglycol dyed with nigrosine showed helical traces and cellular patterns resembling those observed with spinning detonation waves. It may be assumed that the dimension of the surface perturbation during unstable combustion equals the dimension of the most dangerous oscillation predicted by stability analysis. Orig. art. has: 6 figures and 17 formulas.

ASSOCIATION: none

SUBMITTED: 160ct63

DATE ACQ: 27Sep63

ENCL: 003

SUB CODE: AS, PR

NO REF SOV: 004

OTHER: 001

Card 3/63

CHEKIROV, T.Ch.

Undulant variations of intracisternal pressure in the goat udder.
Izv. AN Kir. SSR. Ser. biol. nauk 3 no.2:83-90 '61. (MLA 14:12)
(UDDER)

CHEKIROV, T.Ch.

Effect of acetylcholine on the motor function of the mammary gland
in goats. Izv. AN Kir. SSR. Ser. biol. nauk 3 no.2:91-96 '61.
(CHOLINE) (UDDER INNervation)

CHEKLINA, Ye.A.

Characteristics of rocks in the Murgab Delta from the point of
view of engineering geology. Vop. gidrogeol. i inzh. geol. no.17:
86-91 '59. (MIRA 14:1)

(Murgab Delta region (Turkmenistan)--Rocks)

(Murgal Valley (Turkmenistan)--Rocks)

DUBROVSKIN, V.L.; CHEKLINA, Ye.A.

Characteristics of Quaternary sediments in the central part of the Amu Darya Valley (from Kelif station to Deynau) from the point of view of engineering geology in connection with the construction of irrigation systems. Vop.gidrogeol. i inzh.geol. no.19:59-71 '61. (MIRA 15:2)

(Amu Darya Valley—Engineering geology)

(Amu Darya Valley—Irrigation)

VEREYSKIY, N.G.; DUBROVKIN, V.L. [deceased]; PAVLOV, B.S.; CHEKLINA, Ye.A.

Principles of mapping on a scale of 1:50,000-1:25,000 for
purposes of engineering geology in connection with industrial
urban, rural, and resort construction. Sov. geol. 6 no.10:
109-113 0 '63. (MIRA 17:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut gidrogeologii
i inzhenernoy geologii.

DUBROVKIN, V.L.[deceased]; CHEKLINA, Ye.A.; VINOGRADOVA, Ye.A.;
TSAREVA, A.M.; POPOV, V.V., prof., red.

[Engineering geology characteristics of loess in the Kursk
Magnetic Anomaly] Inzhenerno-geologicheskaya kharakteristi-
ka lessovykh porod territorii KMA [By] V.L.Dubrovkin i dr.
Moskva, Nedra, 1964. 198 p. (MIRA 18:2)

1. Moscow. Vsesoyuznyy nauchno-issledovatel'skiy institut
gidrogeologii i inzhenernoy geologii.

CHEKLOVICH, V.D., and SOLOV'YEV, M.N.

Age of the Metamorphic Rocks in the North Nura-Tau Range (resume in Uzbekistani). Dokl. AN Uzb. SSR, No 8, 1953, 28-29

The metamorphic rocks, considered early paleozoic and familiar from the many pits dug in the north slope of the Nura-Tau, are represented by quartz-mica, chlorite-epidote, silicified and encrusted rocks, quartz-actinolite hornstones (charts), paragneiss, etc. They are observed in a definite zone of action of small intrusives and hydrothermal processes. (RZhGeol, No 1, 1954)

SO: W-31128, 11 Jan 55

CHEKLYUK, E. F.

AID - P-191

Subject : USSR/Engineering

Card : 1/1

Authors : Cheklyuk, E. F., Organov, K. A., Stepanchikov, E. A.
and Snarskiy, A. N.

Title : Thermal Treatment of Exhausted Oil Strata (Part II)

Periodical : Neft. khoz., v. 32, #2, 33-38, F 1954

Abstract : The heat injection process is discussed with graphical and analytical representation of heat losses in the stratum and vertical wall of the well. The example computation shows that the practical application of the process depends upon the minimum temperature (200°C) and pressure (80 atm) of the injected medium. 3 charts.

Institution : None

Submitted : No date

BRANTSEVICH, L.G. [Brantsevykh, L.H.]; CHEKMACHOVA, V.V.

Effect of *Asotobacter* on the change of the content of nitrogen
compounds in fodder beets. Visnyk Kyiv. un. no.5. Ser. biol.
no.1:64-68 '62. (MIRA 16:5)
(AZOTOBACTER) (NITROGEN METABOLISM) (BEETS)

CHEKMAREV, A.

Do not dissipate funds among many objectives. Prem. keep. 12
no.10:39 0 '58. (MIRA 11:10)

1. Starshiy inzhener upravleniya kapital'nogo stroitel'stva
Respublikovets.

(Altai Territory--Building)

CHEKMAREV, A., podpolkovnik; BURMISTROV, V., leytenant

Accelerated method for blowing up a bridge. Voenn. vest. 42
no.8:100-101 Ag '62. (MIRA 15:7)

(Demolition, Military)

CHEKMAREV, A.A.

System of allowances for diameters of coaxial elements in
superhigh-frequency transmission lines. Standartizatsiia 25
no.12:23-38 D '61. (MIRA 14:11)

(Electric lines)
(Tolerance(Engineering))

CHEKMAREV, A.A.

Calculating tolerances for the heater of devices with a given
durability. Standartizatsiia 28 no.2:27-30 F '64.

(MIRA 17:3)

CHEKMAREV, A.A.

Functional interchangeability in the manufacture of electronic instruments. Standartizatsiia 28 no.8:3-9 Ag '64.

(MIRA 17:11)

CHEKMAREV, A.A.

Functional interchangeability in the manufacture of electric
vacuum devices. Vzaim. i tekhn. izm. v mashinostroenii. nauch.-tekhn.
sbor. no.4:331-354 '64. (MIRA 18:1)

CHEKMAREV, A. I.

4

Chekmarev, A. I. The influence of a constant force on the oscillations in nonlinear systems. Akad. Nauk SSSR. Inzhenernyi Sbornik 4, no. 2, 80-108 (1948). (Russian)

This is an investigation of the forced oscillations of a system $\ddot{q} + f(q) = p + h \sin \omega t$ where p and h are constants. The author seeks an approximate solution of the form $q = b + a \sin \omega t$ and obtains relations for a, b from the variational equation

$$\int_0^{2\pi} [-\omega^2 a \sin z + f(q) - p - h \sin z][\delta b + \delta a \sin z] dz = 0.$$

Applications are made, with extensive detailed calculations to several special characteristics of restoring force $f(q)$, notably $f(q) = cq^2$, and $f(q)$ represented by three broken lines behaving together like q^2 . Experimental verifications are also described.

S. Lefschetz (Princeton, N. J.).

Source: Mathematical Reviews,

Vol 12 No. 7

SMW

CHEKMAREV, A.I.

K voprosu o raschete krutil'nykh kolebanii sistem s maiatnikovymi antivibratorami.
(In: Serensen, S V. Dinamika i prochnost' kolenchatykh valov. Moskva, 1948. p.110-139, diags., bibliography)

Title tr.: Problem of calculation of torsional vibrations of systems with pendulum antivibrators.

TJ182.S4

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of Congress, 1955.

CHEKMAREV, A. I.		PROCESS AND PREPARED INDEX		35	
AMR					
3788. Chekmarev, A. I. Nonlinear oscillations of anti-vibrators (in Russian). <i>Tekhn. Sbornik, Akad. Nauk SSSR</i> 5, 1, 140-157, 1968. Author treats the problem of torsional damping by means of pendulums. It is shown that the problem is expressible in terms of two nonlinear differential equations of the second order, one of which has an external periodic excitation. In these equations the coefficients of the second derivatives are trigonometric functions of dependent variables. Ritz's variational method is used to obtain the expression for the forced oscillation. This reduces the problem to a transcendental equation involving Bessel's functions J_0 and J_1 as well as parameters from which the equivalent moment of inertia of the anti-vibrator is computed. It is shown that this quantity is nearly constant for small oscillations and is a function of the amplitude for larger ones. In the latter case the method of continuous fractions, attributed to V. P. Tetsikhin, is applied. The method itself is not outlined in the paper. N. Minorsky, France					
450.514 METALLURGICAL LITERATURE CLASSIFICATION 1968-1970					

1. KATS, A. M.: CHEKMAREV, A. I.
2. USSR (600)
4. Determinants
7. Calculation of "Gurvits" determinants. Inzh.sbor., no. 12, 1952.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

BARABASHOV, Nikolay Pavlovich; KOVAL', Ivan Kirillovich; CHEKIRDA, A.T.,
otv.red.; TRIT'YAKOVA, A.M., red.; VAYNBERG, D.A., red.;
TROFIMENKO, A.S., tekhred.

[Photographic photometry with light filters of Mars during the
favorable opposition in 1956] Fotograficheskaya fotometriya
Marsa so svetofil'trami vo vremya velikogo protivostoiانيا v
1956 g. Khar'kov, Izd-vo Khar'kovskogo gos.univ. im. A.M.Gor'-
kogo, 1959. 529 p. (MIRA 13:5)

(Mars (Planet)--Opposition, 1956)
(Photometry, Astronomical)

PHASE I BOOK EXPLOITATION

SOV/4657

Chekmarev, A. I., M. L. Mikhel', I. A. Krongauz, and Ye. M. Vitenberg

Tara dlya khimicheskikh produktov (Containers for Chemical Products)
Moscow, Nauchno-issl. in-t tekhniko-ekon. issled., 1960. 230 p.
2,000 copies printed.

Sponsoring Agency: Gosudarstvennyy komitet Soveta Ministrov SSSR po khimii.

Eds: I. A. Krongauz, S. I. Babushkina, and L. I. Khoras.

PURPOSE: This book is intended as a guide for all engineering, technical, and planning workers concerned with the packing and shipping of chemical products.

COVERAGE: The book discusses the design, manufacture, and utilization of all types of containers for chemical products. It includes technical data of a nature to permit the proper choice of a container in a given situation. New types of containers developed in the Soviet Union, as well as foreign experience, are described. The letter designations for

~~Card 1/5~~

Containers for Chemical Products

SOV/4657

all such containers are listed. No personalities are mentioned.
There are 50 references: 20 Soviet, 19 English, and 11 German.

TABLE OF CONTENTS:

Introduction

Metal Containers	5
1. Metal barrels	11
2. Steel drums	11
3. Steel flasks	39
4. Large steel cans and canisters	55
5. Small steel cans	64
6. Steel cylinders	71
Wooden Containers	74
1. Wooden barrels	80
2. Pressed plywood barrels	80
3. New and improved kinds of barrels	92
Card 2/5	97

YAGODIN, G.A.; MOSTOVAYA, O.A.; CHEKMAREV, A.M.

Separating hafnium and zirconium by extracting their nitrates with the diisooamyl ester of methylphosphonic acid. Izv.vys.ucheb.zav.: khim.i khim.tekh. 3 no.1:135-137 '60. (MIRA 13:6)

1. Kafedra tekhnologii radioaktivnykh, redkikh i rasseyannykh elementov Moskovskogo khimiko-tekhnologicheskogo instituta imeni D.I. Mendeleyeva.

(Hafnium)

(Zirconium)

(Chemical tests and reagents)

3
S/828/62/000/000/001/017
EO39/E420

AUTHORS: Kaplan, G.Ye., Yagodin, G.A., Moiseyev, S.D.,
Dmitriyeva, L.P., Mostovaya, O.A., Chekmarev, A.M.,
Sevost'yanova, E.N., Udovenko, V.F.

TITLE: The separation of zirconium and hafnium by means of
organophosphorous compounds, amines and other
extraction agents

SOURCE: Razdeleniye blizkikh po svoystvam redkikh metallov.
Mezhvuz. konfer. po metodam razdel. blizkikh po
svoyst. red. metallov. Moscow, Metallurgizdat, 1962,
28-41

TEXT: Although large separation coefficients can be obtained by
the use of mixed nitric and hydrochloric acids the process is not
favoured because of corrosion difficulties and the large quantity
of acids required. The results of experiments on the extraction
of these elements from a sulphuric acid medium in the presence of
different extraction agents is therefore examined. It is shown
that diisooamyl-ether-methylphosphonium acid ($(iC_5H_{11}O)_2POCH_3$)
(DAMPA) is a more powerful complex forming agent than
Card 1/2

3
The separation of zirconium ...

S/828/62/000/000/001/017
E039/E420

tributylphosphate (TBP). The separation and distribution coefficients for Zr and Hf are 24.6 and 3.2 respectively when using 10% DAMPA in H_2SO_4 solution in the presence of thio-cyanic acid, while for 40% TBP in the same medium the corresponding coefficients are 21.6 and 2.6. An increase in the concentration of TBP is undesirable as it leads to increased viscosity and a large loss of extraction agent. It should be noted however that the re-extraction of DAMPA is more difficult than for TBP. Diphenylphosphoric acid extracts Zr and Hf from H_2SO_4 solution with a separation coefficient 3 to 10. Other extraction agents of this type are also tested. Tests are also made on the use of tri-n-octylamine and in this case as the concentration of H_2SO_4 is increased the separation coefficient for Zr and Hf passes through a maximum value of 12 at about 1 normal H_2SO_4 and then falls to a steady value of about 10 for further increase in the H_2SO_4 concentration. Details are given of the constitution of the organic and aqueous phases and the effect of acidity on the separation coefficient. There are 11 figures and 3 tables. ✓

Card 2/2

S/830/62/000/002/002/002
D214/D308

AUTHORS: Yagodin, G.A. and Chekmarev, A.M.

TITLE: The extraction of zirconium and hafnium by tri-n-octylamine from metal fluoride solutions

SOURCE: Ekstraktsiya; teoriya, primeneniye, apparatura, no. 2, Ed. by A.P. Zefirov and M.M. Senyavin. Moscow, Gosatomizdat, 1962, 141 - 153

TEXT: The extraction of Zr and Hf from K_2MF_6 (where M = Zr, Hf) by a solution of pure tri-n-octylamine (TOA) in benzene is discussed. TOA will extract Zr and Hf only from weak acid solutions since more acid solutions tend to form $R_3N.HX$ (where X = HSO_4 , Cl, NO_3). Highest values for the distribution coefficients, D_{Zr} and D_{Hf} , were obtained with 0.2 M H_2SO_4 while HNO_3 leads to the lowest D_M values. With H_2SO_4 ,
Card 1/2

The extraction of zirconium ...

S/830/62/000/002/002/002
D214/D308

$D_{Hf} > D_{Zr}$ but with HNO_3 Zr is preferentially extracted. The influence of additions was also studied. The values of D_M decrease as the concentration of the addition in the aqueous phase increases. With small additions of KCl or KF $D_{Hf} > D_{Zr}$ but at higher concentrations ($> 8g/l$ for KCl - $> 1\%$ for KF) $D_{Zr} > D_{Hf}$. Addition of K_2SO_4 make $D_{Zr} > D_{Hf}$ but with NH_4NO_3 $D_{Hf} > D_{Zr}$. Extraction from K_2ZrF_6 (10 g/l) acidified with 0.2 M $(COOH)_2$ by 5% benzene solution of TOA gives $D_{Zr} = 47$ and $D_{Hf} = 10$. Both D values decrease as the molarity of the acid is decreased. The extraction mechanism is summarized by: $2(R_3NH)HSO_{4org} + K_2ZrF_{6aq} \rightleftharpoons (R_3NH)_2ZrF_{6org} + 2KHSO_{4aq}$. Evidence for this mechanism is discussed in detail. There are 12 figures and 6 tables.

Card 2/2

CHEKMAREVA, A.P.

82(1)

ISSUE I BOOK REPRODUCTION 808/8787
Collection of articles, 279. 5 (Serial Periodic)
3,000 copies printed.

Scientific M.: L.M. Alsharov, Candidate of Technical Sciences; M. of
Publishing House: R.A. Vain, Tech. M.: A. S. Krasov.

Abstracts. This collection of articles is intended for technical personnel and
scientific workers in the metallurgical and auxiliary-construction industries.

Contents: This collection of articles deals with problems of rolling and tube
manufacture. Results of research done on roll design and methods of deter-
mining their manufacturing parameters in the production of tubes and other
rolled shapes are presented. Methods of analyzing the kinematics of other
in helical rolling mills and rolling mills by means of action schemes are
discussed. Also the results of research on the mechanical properties of
in production are presented. References follow several of the articles.

Author, P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
This article deals with the results of an investigation conducted on the
severely bent (severely bent). R.A. Vain, Tech. M.: A. S. Krasov, R.A. Vain,
and P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
References follow part.

59

Author, P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
This article deals with the results of an investigation conducted on the
severely bent (severely bent). R.A. Vain, Tech. M.: A. S. Krasov, R.A. Vain,
and P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
References follow part.

62

Author, P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
This article deals with the results of an investigation conducted on the
severely bent (severely bent). R.A. Vain, Tech. M.: A. S. Krasov, R.A. Vain,
and P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
References follow part.

72

Author, P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
This article deals with the results of an investigation conducted on the
severely bent (severely bent). R.A. Vain, Tech. M.: A. S. Krasov, R.A. Vain,
and P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
References follow part.

89

Author, P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
This article deals with the results of an investigation conducted on the
severely bent (severely bent). R.A. Vain, Tech. M.: A. S. Krasov, R.A. Vain,
and P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
References follow part.

94

Author, P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
This article deals with the results of an investigation conducted on the
severely bent (severely bent). R.A. Vain, Tech. M.: A. S. Krasov, R.A. Vain,
and P.P. [Dnepropetrovsk, Donbass Metallurgical Institute (Donbass
State Mill).
References follow part.

6

S/137/61/000/005/022/060
A006/A106

AUTHORS: Chekmarev, A.P., Osada, Ya.Ye., Semenov, O.A.

TITLE: Some geometrical and kinematic peculiarities of cold pipe rolling processes on a pilger mill

PERIODICAL: Referativnyy zhurnal. Metallurgiya, no. 5, 1961, 27, abstract 5D253 ("Tr. Ukr. n.-i. trubn. in-ta", 1959, no. 1, 106 - 125)

TEXT: The authors analyze changes in the pipe walls along the instantaneous deformation seat and present an example of calculating the angle determining the location of the section considered in the instantaneous deformation seat, the least wall thickness (reduction) and other parameters. The authors determine theoretically the rear boundary of the instantaneous deformation seat, and the distribution of the metal flow rates in the direction of rolling along the instantaneous deformation seat. ✓

A. B.

[Abstracter's note: Complete translation]

Card 1/1

S/137/61/000/006/046/092
A006/A101

AUTHORS: Chekmarev, A.P., Rudoy, V.S., Chernyavskiy, A.A.

TITLE: Forward flow of metal during rolling on a pilger mill

PERIODICAL: Referativnyy zhurnal. Metallurgiya, no. 6, 1961, 36, abstract 6D290
("Tr. Ukr. n.-i. trubn. in-ta", 1959, no. 1, 96 - 105)

TEXT: Forward flow during the rolling of 273 mm diameter pipes on a 6 -12" pilger mill was determined from imprints left on the pipe and the pilger mill head by apertures drilled in the rolls. The apertures of 10 mm diameter and 5 - 7 mm depth were drilled on every 15° (starting from the groove rims) over the width, and on every 10° (from the beginning of the top) over the length of the roll groove. It was established that the forward flow along the top of rolls during rolling on a pilger mill was considerably higher than in longitudinal rolling of pipes or compact sections in round grooves. The dependences of the coefficient of forward flow on the turning angle of the rolls show that the forward flow attains its highest value within 10° - 20° from the beginning of the top, and then decreases. At the beginning of the top near the rims lagging was observed. The width of this zone near the roll rims extends up to 45° over the

Card 1/2

Forward flow of metal during rolling on a pilger mill S/137/61/000/006/045/092
A006/A101

groove width in the section of the metal outlet from the rolls. The coefficient of forward flow first increases on the length of the polishing section (along the initial $10^\circ - 30^\circ$) and then decreases. To determine the coefficient of forward flow with sufficient practical accuracy, the corresponding Yemel'yanov formula may be employed.

Yu. Manegin

[Abstracter's note: Complete translation]

Card 2/2

CHEKMAREV, A.P., akademik; SMOL'YANINOV, A.F., inzh.; KLIMENKO, P.L., inzh.

Investigating pressure during rolling with variable radius rolls.
Izv. vys. ucheb. zav.; chern. met. 2 no.4:65-72 Ap '59.
(MIRA 12:8)

1.Dnepropetrovskiy metallurgicheskiy institut. 2.AN USSR
(for Chekmarev).
(Rolling (Metalwork)) (Deformations (Mechanics))